

OVERSIZED LOAD TRANSPORT PERMIT

THE BUTLER COUNTY HIGHWAY DEPARTMENT

ALL OF THE FOLLOWING INFORMATION MUST BE PROVIDED:

A. Transport Co. Name _____
Address _____

Phone Mobile: _____ Office: _____
Fax: _____
Responsible Person _____

B. Information on structure/load to be moved:
(Attach a diagram of load with dimensions and axle spacings and axle loads)

1. Type of structure: _____
2. Width: _____ Height: _____
3. Weight: _____ Length: _____
4. Origin: _____
5. Destination: _____

C. Transport routing in Butler County:

1. Date: _____ Time: _____
2. Destination: _____
3. Route through County: _____

4. Map attached? _____ Yes _____ No

THE FOLLOWING RULES MUST BE FOLLOWED:

1. Company to submit copy of certificate of liability insurance to County.
2. A fee in the amount of \$50.00 per load, made payable to: Butler County Public Works.
121 S. Gordy, Ste. 200, El Dorado, KS 67042
3. Highway signs are to be taken down **immediately** ahead of moving truck.
4. Signs are to be replaced **immediately** behind moving truck.
5. Sign posts to be protected with a stiffening angle.
6. The moving company will pay for all damage to signs, roads, culverts or bridges.
7. The Road Superintendent will be called between 8:00 a.m. and 5:00 p.m. the day before moving the structure at 316-322-4101.

I have read the above rules and agree to accept and abide by them:


Signed: _____ Date: _____
(Transportor)

Approved by: _____
(County Official)

(County use)

I have inspected the route and found the following: _____

Authorized Signature: _____



DISTANCE BETWEEN CENTERS OF AXLE GROUPS	d1	d2	*d3	*d4	
NUMBER OF AXLES IN GROUP	a1	a2	a3	*a4	*a5
APPROXIMATE WEIGHT PER AXLE OR GROUP					

PLEASE INDICATE THE SPACING BETWEEN CENTERS OF AXLE GROUPS, AND HOW MANY AXLES IN EACH GROUP, AND APPROXIMATE WEIGHT PER AXLE OR AXLE GROUP.

* SHOW MEASUREMENTS IF APPLICABLE.

TOTAL WEIGHT OF VEHICLE AND LOAD IS _____ POUNDS.



**OVERSIZED LOAD
DEFINED**

**STATUTE 8-1908
BOOK 6-1909**

Over Height	14' Ground to top
Over Wide	8 1/2 '
Over Weight	Gross weight per wheel not to exceed 10,000 lbs. Gross weight per axle not to exceed 20,000 lbs.
Over Length	65' long

REGULATIONS FOR OVERSIZE AND OVERWEIGHT PERMIT OPERATIONS

1. Those vehicles towing house trailers or mobile homes which exceed eight feet in width shall be covered by liability insurance as provided in K.S.A. B-1911 (g). All vehicles under special permit shall be covered by insurance in an amount not less than twenty-five thousand dollars (\$25,000) property damage and not less than fifty thousand dollars (\$50,000) public liability. The driver of any vehicle, traveling under special permit, shall carry the insurance policy, a certificate of insurance, or a card issued by the insurance company showing the insurance name, address, amount of insurance, policy number and expiration date.
2. All movement must be made in full daylight hours, (between sunrise and sunset)
3. Mobile homes are not to be moved if the ground wind is over 25 MPH.
4. No movement will be made in county or township roads on Saturday afternoons, Sundays or holidays.
5. This permit is valid only on County and Township roads outside city limits.
6. For mobile home outside city limits, the minimum speed shall be 25 MPH and the maximum speed 50 MPH, unless otherwise specified by speed limit signs or due to road and weather conditions.
7. All vehicles must be 300 feet apart at all times except when passing. (G.S. 1961 Supp. 8-543)
8. In case of breakdown, vehicle and load must be moved off highway. In the event the breakdown is such that the vehicle or load cannot be moved from the highway, I.C.C. or K.C.C. regulations shall apply.
9. The applicant by acceptance of this permit agrees (a) To detour all highway structures not having sufficient weight bearing capacity to sustain the weight of the vehicles and load nor not having sufficient vertical and horizontal clearance of the vehicles and load, (b) That issuance of this permit does not warrant the sufficiency of highway structures on the route to be followed as to either weight bearing capacity or vertical and horizontal clearance, and (c) To be liable for and will pay all damages sustained by the road foundations, surfaces or highway structures resulting from operation and movement of vehicles and load.
10. All loads exceeding twelve (12) feet in width must have a flagman in advance on far side of structure on bridge structures and underpasses. All overweight units must stay within posted bridge regulations while using structures.
11. All vehicles over nine (9) feet wide must have an "OVERSIZE LOAD" sign attached to the front of the vehicle. The sign is to be 50 inches long and 14 inches wide. It is to be painted yellow with black letters eight inches tall and with a one and one-eighth inch stroke. A similar sign is to be attached to the rear of all mobile homes and mounted on top of the unit towing the mobile home.
12. Flagmen in separate vehicles must precede and follow all vehicles or loads that are in excess of twelve feet, six inches (12'-6") in width or where the combination length of the vehicle is eighty-five (85) feet or over. The flagmen must use at least an 18 inch solid red cloth flag in all flagging operations.
13. All units, where the mobile home is fifty (50) feet or more in length, must be towed by a truck that is at least two ton in size, with a gross vehicle weight capacity of not less than 13,000 pounds, and with the rear axle of towing truck being equipped with dual wheels.
14. All other regulations applicable on the Kansas State Highway System shall be abided by except where they refer to the Secretary or District Engineer, in which case the Butler County Public Works Director shall prevail.
15. When any permitted load shall completely obstruct the roadway, the permitted must notify the Butler County Fire Department and the County ambulance service of the time and place of obstruction.
16. All traffic control devices (signs, posts, etc.) shall be replaced immediately after passage of wide load. Installation of signs and posts shall be according to the MUTCD.